



SPRITE

SPRITE

2014 model range



PART OF THE SWIFT GROUP
Cottingham · East Yorkshire · United Kingdom

WWW.SWIFTGROUP.CO.UK

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued August 2013



Memorable Smiles Since 1949



TECHNICAL INNOVATION

A SMART MOVE WITH MODERN CONSTRUCTION

As the UK's leading leisure vehicle manufacturer, the Swift Group undertakes what is probably the most extensive research and testing program in the industry and we are constantly looking at new and better ways to construct our products. SMART is our new intelligent construction system that is being launched across our entire touring caravan range.

SMART is based on proven technology and provides a Strong timber-less body frame with Modern desirable looks and a leading Aerodynamic shape that is highly Resilient to moisture, all wrapped up in a caravan that has undergone the most comprehensive Testing.



Carefully developed, the new system has only been introduced once we were satisfied that it was truly fit for purpose.

Computer numerically controlled (CNC) cutting is used in the manufacturing process to provide accuracy and consistency time after time, to produce a high quality engineered product designed to give you a lifetime of SMILES.

For more details see Swift TV or the website.



AERODYNAMIC

We continue to lead the way in Aerodynamics using Computational Fluid Dynamics to help shape the bodysell for better fuel consumption and safer towing.



RESILIENT

All fixings are made into the 'PURE' material to a pre-defined depth. 'PURE' is totally impervious to water and has no veins. This means there is no passage for water from the outer skin to the inner wallboard, making the caravan highly Resilient to moisture.



TESTED

Extensive safety and durability Testing at the Millbrook track, and cold chamber Testing down to minus 15°C and beyond puts prototypes through conditions most products will never have to experience in a lifetime; all part of the Swift Ethos to deliver the best products to you.



MODERN

The SMART construction system uses Modern materials and also has been developed to ensure the exterior profiles maintain the Modern desirable looks our caravans are renowned for.



STRONG

The new Strong timberless body frame uses 'PURE', a tough, hard polyurethane based product, that is totally impervious to water and has been proven through use.





Model fitted with optional panoramic sunroof



Back in 1949, Sam Alper developed the first Sprite caravan and since then Sprite has remained the name everyone associates with style, lightweight and affordable - the ideal first new caravan.

Built by the Swift Group, Sprite models are manufactured to the same high standards as Swift's more expensive ranges and now benefit from an upgraded Truma Combi-Boiler which provides faster, more efficient heat up.

With stylish new graphics and soft furnishings they have the feel of much more expensive ranges and come in a wide range of layouts and options to enable you to tailor the specification to match your budget.





Features

You can be reassured when you buy a Sprite Caravan that they all come with the following market leading features:

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- EN1645 Grade 3 classification for heating and thermal insulation
- **New** Strong, moisture proof 'PURe' Polyurethane timberless framed body shell
- 1.95m (6'5") headroom
- One-piece, 5000 Series marine grade aluminium sidewalls
- Higher tyre rating - a minimum of 150kg extra load margin at 130kph (law permitting)
- Step-on hitch cover for easy access to clean front
- **New** High security locks with convenient one key operation for all locks
- **Upgraded** Dual fuel heating with Truma Combi 4 Boiler (1.8kW electric / 4kW gas / 3.8kW combined) with **New** digital control panel (Combi 6 Boiler (1.8kW electric / 6kW gas / 5.8kW combined) in Major 6, Major 6TD, Quattro EW and Quattro FB))
- TV station with 230V, 12V and aerial sockets
- Bed make-up system with slats retained on track (model specific)
- Seat bases with spaceframe construction, full front access and space for larger items
- Front chest of drawers with convenient slide-out extending top (model specific)
- Dining table suitable for full-size place settings
- Positive overhead locker catches for secure loading
- 3 burner gas hob with electronic ignition
- High flow rate in-board pump with chrome finish brass taps for reliable, high performance water supply
- **New** Ecocamel shower hose and head uses less water while giving a powerful shower
- **New** French Oak effect, high impact, scratch resistant floor lino
- Thatcham approved TRACKER Retrieve fitted as standard

Additional features

- Exterior**
- Fuel saving aerodynamic front in closed-mould GRP with wide front door
 - **New** Full height moulded rear panel with integrated high level brake light
 - Fully bonded roof for extra strength and flatness
 - Semi-recessed body colour awning rail both sides
 - **New** Champagne and graphite exterior graphics scheme

- Overall body width 2.25m/7'4½"
- AL-KO galvanised steel chassis with Euro-axle
- AL-KO Euro overrun device with two-way assisted handbrake
- 13-pin 'Jaeger' 12V car connector
- Status 550 directional digital and analogue TV aerial
- Bulkhead mounted regulator suitable for use with either propane or butane bottles
- **New** Re-Styled fully double-glazed opening windows
- LED awning light
- Exterior two-part door with interior moulded liner
- Exterior access battery box with mains electric inlet (battery not included)
- Entrance step
- 25mm 'sandwich' sidewalls with polystyrene insulation core
- 32mm 'sandwich' roof with polystyrene insulation core
- 44mm 'sandwich' floor with high rigidity Styrofoam core
- Fixing points for rear-mounted cycle rack
- Steel spare wheel

Interior

- **New** 'Berto' soft furnishing scheme
- Mali Acacia woodgrain and contrasting mouldings
- Granite effect kitchen sink with removable extension drainer with dedicated storage
- **New** Kitchen worktop extensions (except Major 6 and Quattro FB)
- Cutlery drawer on smooth-action steel runners
- Wire basket in kitchen cupboard
- Beech slat seat and bed bases with sprung hinged tops for extra comfort and easy access
- Midi-Heki roof window with flynet and adjustable concertina blind
- Cassette flyscreens and blinds on all windows
- Multi-directional clear rooflights in kitchens and bedrooms
- Twin curtain track for improved hanging and ease of use
- Sprung interior mattresses in fixed bed models
- Fixed beds with steel bed frames to maximise strength and storage space
- Seat and backrest ventilation boards
- Removable carpets (not washroom)
- Retained embroidered entrance mat
- Thick washroom doors with domestic style locks and handles
- Chrome finish crockery rack

Equipment

- User-friendly 12V control panel with battery selection, battery state meter and water pump circuit control
- Inboard semi-rigid fresh water pipes
- Large bore underslung rigid waste pipes
- Fully protected mains electric system
- 25 Amp switchmode charger/transformer
- Thetford 113L fridge with electronic ignition and LED controls
- Thetford C260 toilet with electric flush and 18 litre wheeled waste tank
- Thetford 3 burner hob, oven and separate grill
- Glass hob lid with safety cut-out feature
- Blown air ducted heating
- Gas regulator for Propane and Butane mounted on front bulkhead
- Isolation taps for gas appliances
- Halogen ceiling lights in living and washroom areas
- Halogen adjustable downlights in lounge/sleeping areas
- Four 230V sockets including twin in front shelf 'pod' (model specific)
- 25 metre mains hook-up cable

Safety and Security

- Smoke alarm
- CRIS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- Carbon monoxide detector
- Thatcham approved TRACKER Retrieve fitted as standard

Diamond Pack

- Alloy wheels
- AL-KO AKS 3004 Stabiliser*
- AL-KO Secure wheel lock receiver (two on Quattro)
- Door flyscreen with easy concertina action
- **New** Microwave oven
- Radio/CD/MP3 player with iPod connection
- Two scatter cushions

Factory-fit Options

- Panoramic front sunroof
- AL-KO ATC trailer stability control

Dealer-fit Options

- Alarm system (infra-red with tilt sensor and key-fob operation)
- AL-KO Secure wheel lock
- Wrap-around seating in addition to chest of drawers
- Roof mounted 40W solar panel
- Supagard™ Glamour Shield protection

Exclusives

Exclusive to the Swift Group are the following market leading features



Thatcham approved TRACKER Retrieve system, one of the most effective tracking systems available, recognised by all police forces.



DMACK EcoXtra tyres. The EcoXtra tread pattern is specifically designed to provide low rolling resistance for greater fuel economy.

Value Added Partnerships

Swift Group work in close partnership with the following companies to ensure vital elements of their caravans are the best they can be.



Truma develop the heating systems used within the caravans and also carry out cold chamber testing to ensure the Grade 3 standard is reached for heating and thermal insulation.



AL-KO supply the chassis all Sprite caravans are built on. All Sprite tourers come with the option of the AL-KO ATC trailer control system and the AL-KO AKS 3004 stabiliser to the enhance the towing experience.



Glamour Shield is the UK's official provider of Supagard™ paint and fabric protection solutions to the leisure vehicle industry and the only provider recommended by Swift Group. Supagard™ is only available as an optional extra. Ask your dealer for details.



01



02



03



04



05



06



07



08



09



10



11



12



13



14



15

01. Step on hitch cover for easy cleaning of the front windows
02. Exterior locks with one key operation
03. Optional Panoramic front sunroof
04. Standard front overhead lockers
05. Pull out chest of drawers with convenient front shelf pod (model specific)




06. Bed make up system with slats retained on track
07. Seat bases with spaceframe construction, full front access and space for larger items
08. Positive locker catches for secure storage on the move
09. Ventilated microwave oven with digital control and built in at an easily accessible level*

10. Stylish and practical granite effect sink with removable drainer and Kitchen worktop extension on selected models
11. Thetford 113L fridge with electronic ignition, LED controls and black effect finish
12. Ecocamel shower head and hose which cleverly injects air directly into the water stream so you use less water while experiencing a more powerful shower

13. Radio/CD player with iPod connection*
14. Upgraded Truma combi-boiler with digital control
15. Door flyscreen with concertina action*

* Part of optional Diamond pack

Specification



	ALPINE 2	ALPINE 4	MAJOR 4	MAJOR 4 FB	MAJOR 6	MAJOR 6 TD	QUATTRO FB	QUATTRO EW
Berths	2	4	4	4	6	6	6	6
Number of Axles	1	1	1	1	1	1	2	2
Internal Length (at bed box height)	4.34m / 14'3"	4.74m / 15'7"	5.29m / 17'4"	5.29m / 17'4"	5.60m / 18'4"	5.83m / 19'2"	6.27m / 20'7"	6.27m / 20'7"
Overall Width**	2.23m / 7'4"	2.23m / 7'4"	2.23m / 7'4"	2.23m / 7'4"	2.23m / 7'4"	2.23m / 7'4"	2.23m / 7'4"	2.23m / 7'4"
Overall Height (inc. TV Aerial)**	2.64m / 8'8"	2.64m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.65m / 8'8"	2.62m / 8'7"	2.62m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length**	5.99m / 19'8"	6.39m / 21'0"	6.93m / 22'9"	6.93m / 22'9"	7.25m / 23'9"	7.48m / 24'6"	7.92m / 26'0"	7.92m / 26'0"
Awning A/A Dimension	8.73m / 28'8"	9.14m / 30'0"	9.68m / 31'9"	9.68m / 31'9"	9.99m / 32'9"	10.22m / 33'6"	10.66m / 35'0"	10.66m / 35'0"
Mass in Running Order (inc. tolerance)	1013kg / 19.9cwt*	1047kg / 20.6cwt	1139kg / 22.4cwt	1148kg / 22.6cwt*	1230kg / 24.2cwt*	1257kg / 24.7cwt	1361kg / 26.8cwt	1361kg / 26.8cwt
Maximum Technical Permissible Laden Mass	1179kg / 23.2cwt*	1237kg / 24.3cwt	1334kg / 26.3cwt	1343kg / 26.4cwt*	1448kg / 28.5cwt*	1478kg / 29.1cwt	1600kg / 31.5cwt	1600kg / 31.5cwt
Total User Payload	166kg / 3.3cwt	190kg / 3.7cwt	195kg / 3.8cwt	195kg / 3.8cwt	218kg / 4.3cwt	221kg / 4.4cwt	239kg / 4.7cwt	239kg / 4.7cwt
Personal Effects Payload	121kg / 2.4cwt	145kg / 2.9cwt	150kg / 3.0cwt	150kg / 3.0cwt	173kg / 3.4cwt	176kg / 3.5cwt	180kg / 3.5cwt	180kg / 3.5cwt
Tyre Size	184 R14 102Q	185 R14 102Q	185 R14 102Q	185 R14 102Q	185 R14 102Q	185 R14 102Q	185/70 R14 88T	185/70 R14 88T
Thermal Insulation Grade	Three	Three	Three	Three	Three	Three	Three	Three
BED SIZES								
Front Double	202cm x 180cm / 6'8" x 5'11"	202cm x 128cm / 6'8" x 4'2"	202cm x 142cm / 6'8" x 4'8"	202cm x 142cm / 6'8" x 4'8"	202cm x 170cm / 6'8" x 5'7"	202cm x 180cm / 6'8" x 5'11"	202cm x 180cm / 6'8" x 5'11"	206cm x 134cm / 6'9" x 4'5"
Or Front Nearside Single	190cm x 72cm / 6'3" x 2'4"					190cm x 72cm / 6'3" x 2'4"	180cm x 72cm / 5'11" x 2'4"	
And Front Offside Single	180cm x 72cm / 5'11" x 2'4"					180cm x 72cm / 5'11" x 2'4"	190cm x 72cm / 6'3" x 2'4"	
Rear Double		189cm x 132cm / 6'2" x 4'4"	194cm x 132cm / 6'4" x 4'4"	192cm x 132cm / 6'4" x 4'4"			192cm x 132cm / 6'4" x 4'4"	194cm x 132cm / 6'4" x 4'4"
Side Single Offside					180cm x 83cm / 5'11" x 2'9"		180cm x 62cm / 5'11" x 2'0"	180cm x 62cm / 5'11" x 2'0"
Side Single Nearside						180cm x 67cm / 5'11" x 2'2"		
Side Bunk Offside					176cm x 59cm / 5'9" x 1'11"		176cm x 59cm / 5'9" x 1'11"	176cm x 59cm / 5'9" x 1'11"
Side Bunk Nearside						176cm x 59cm / 5'9" x 1'11"		
Side Fixed Lower Bunk					183cm x 57cm / 6'0" x 1'10"	183cm x 57cm / 6'0" x 1'10"		
Side Fixed Upper Bunk					183cm x 57cm / 6'0" x 1'10"	183cm x 57cm / 6'0" x 1'10"		

Weights: The method of calculating the Mass in Running Order (MRO) and user payload figures has changed in order to bring it in line with European Vehicle Directives.

Allowances for essential equipment (e.g. gas cylinders) previously allowed for in the user payload are now contained within the MRO. A provision for a leisure battery which used to be within the essential equipment payload has now been included within the personal effects payload allowance.

Although the method of calculation has changed, the overall effect is that the amount of payload available to the customer has remained the same, it is just calculated in a different manner.

Bed Sizes: Please note that the front double bed sizes quoted are for seating configurations without a chest of drawers. The front double bed width for a layout with a chest of drawers fitted, will be reduced by 0.4m (1'4") from that stated.

Awning Size: Due to varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or awning manufacturer prior to purchase.

*Estimated
 ** The dimensions given are approximate due to slight variations in suspension ride heights, loading conditions and tyre pressures.

Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions.

FREE
 Swift Group
 Backed
 Warranty

10 YEAR
 Bodyshell Integrity
 warranty

Grade 3
Insulation
11kWh/m²
for post-transition
BS EN 1631

European
Community
Whole Vehicle
Type Approved

NCC APPROVED

subject to terms and conditions



Join us Online

Social Network for Caravan Enthusiasts
www.swift-talk.co.uk

Videos and latest news
www.swifttv.co.uk